

## Nail Plates NP

A versatile plate used to connect or repair timber.

- Strengthening ribs for added rigidity.
- All holes are pressed countersunk to aid location of the nail and to give a flush finish.

## SPECIFICATION

- Galvanised steel EN 10346 DX51D Z275 or grade 1.4301 austenitic stainless steel to EN 10088-2.

## INSTALLATION

- Use appropriate fixings. Always ensure that compatible corrosion resistant fixings are used, i.e. do not use galvanised fixings with stainless steel products or vice versa.



Code	Product	Product Dimensions (mm)		Box Qty.
		Width	Length	
<b>Pre Galvanised - 1mm</b>				
NPSTD	Nail Plate Galvanised	85	178	50
NP85X87	Nail Plate Galvanised	85	87	100
NP85X350	Nail Plate Galvanised	85	338	50
NP41X152	Nail Plate Galvanised	42	154	50
NP42X175	Nail Plate Galvanised	42	178	100
NP103X152	Nail Plate Galvanised	104	154	50
NP170X175	Nail Plate Galvanised	169	178	50
NP170X350	Nail Plate Galvanised	178	338	25
<b>Stainless Steel - 1mm</b>				
NPSSSTD	Nail Plate Stainless	85	178	-
NPSS85X87	Nail Plate Stainless	85	89	-
NPSS42X175	Nail Plate Stainless	42	178	-
NPSS170X175	Nail Plate Stainless	169	178	-

## Joining Plates FAB

An easy to use plate to connect two or more timbers or for use in general repair projects. A wide range of flat plate connectors to suit all applications.

- Holed for 3.75 square twist nails, 6mm screws, M8, M10 bolts and M10 slots.
- Heavy duty 2.4mm tick.
- Galvanised or stainless steel finish.

## SPECIFICATION

- Galvanised steel EN 10346 DX51D Z275.
- Grade 1.4301 austenitic stainless steel to EN 10088-2.

## INSTALLATION

- Use appropriate fixings. Always ensure that compatible corrosion resistant fixings are used, i.e. do not use galvanised fixings with stainless steel products or vice versa.



Code	Product	Product Dimensions (mm)			Box Qty.
		Thickness	Width	Length	
<b>Pre Galvanised Steel - 2mm</b>					
FAB100	Joining Plate	2	62	100	50
FAB180	Joining Plate	2	62	180	50
FAB240	Joining Plate	2	62	240	50
FAB300	Joining Plate	2	62	300	50
<b>Stainless Steel - 2mm</b>					
FABSS100	Joining Plate	2	62	100	-
FABSS180	Joining Plate	2	62	180	-
FABSS240	Joining Plate	2	62	240	-
FABSS300	Joining Plate	2	62	300	-

## Corner Plate **CP**, Mending Plate **MP** & Tee Plate **TP**

- Countersunk holes for a flush finish.
- Holed for nails or screws.

### SPECIFICATION

- Zinc and yellow passivated.

### INSTALLATION

- Use appropriate fixings. Always ensure that compatible corrosion resistant fixings are used, i.e. do not use galvanised fixings with stainless steel products or vice versa.



Code	Product	Product Dimensions (mm)			Box Qty.
		Thickness	Width	Length	
Zinc & Yellow Passivated					
<b>CORNER PLATE</b>					
CP50	Corner Plate	1.5	13	50 X 50	50
CP75	Corner Plate	2	16	75 X 75	50
CP100	Corner Plate	2	15	100 X 100	25
CP150	Corner Plate	2	22	150 X 150	25
<b>MENDING PLATE</b>					
MP75	Mending Plate	2	16	75	50
MP100	Mending Plate	2	16	100	50
<b>TEE PLATE</b>					
TP75	Tee Plate	1.5	16	75 X 75	25
TP100	Tee Plate	2	30	140 X 110	25